25X1

SECRET

OSA-4525/66

22 December 1966

MEMORANDUM FOR: Deputy for Operations, OSA

SUBJECT : COMOR Briefing on "H" Model Drone

1. At today's meeting of COMOR, Lt.Col. R. R. Smith, J-3, JRC, presented at the request of a briefing on the improved BLUE SPRINGS drone, the Colonel Smith prefaced his presentation with the remark that there were two misconceptions concerning the "H" model which he would like to clear up. First, he stated that the "H" model was not designed to replace or augment any manned or satellite system, but rather to provide an "alternative" to present reconnaissance assets. Secondly, the "H" model is not a follow-on, but merely another progression in the development of the basic series, which started with the "A" model.

25X1 USA

- 2. The new model is still carried by the C-130, which has a capability of launching two drones. The "G" model Doppler navigation system is retained. Ten missions have been flown in the test program so far, and all phases have been satisfactory except for some problems with engine overheating. The manufacturer believes that this is basically an EGT trim problem and a successful test flight earlier this week seemed to bear this out. If it is indicated that this problem is solved, ten to fifteen drones are now "on the dock" ready for shipment to Southeast Asia.
- 25X1 USAF

3. Colonel Smith provided the following delivery data on the

O N D J F M A M J J

First Buy 2 7 8 6 4 5 3 TOTAL 35 Second Buy 3 3 3 3 3 TOTAL 15

NRO and USAF review(s) completed.

TOTAL 50

25X1

SECRET

Excluded from automatic

25X1

25X1

USAF

25X1

OSA-4525/66 Page 2

## 4. Operational characteristics:

	Model	"G" Model
Wing area Length Span Weight Fuel	114 sq. ft. 29.89 ft. 32 3741 lbs. 1369.5 gal.	80 sq. ft. 31 ft.
Range Initial cruise altitude – 200 miles	About 2400 NM	About 1400 NM
after launch Final cruise altitude - "fuel out"	60,800	57,800
point	69,000	

Colonel Smith stated that several tests had seen altitudes "well over 70,000", but indicated that the cruise/climb 60,800 - 69,000 were what the planners were using now. When questioned about vulnerability, he stated that the increase in altitude made interception by MIGs more difficult, and that the new operating regime for a large portion of the flight above the contrail level was perhaps the biggest gain.

5. The "H" is configured with a Hycon camera with a resolution averaging 2.5 feet, about the same capability as the present "G" model. As an aside, he stated that under certain conditions resolution down to one foot had been seen but that 2.5' represented "average performance". The following comparison figures were supplied:

	"H" Model	"G" Model
Camera resolution Longitudinal Coverage Lateral Coverage Forward overlap Vertical frame dimension	2.5' 817 nm 22.7 nm 60% 4.3 nm	2.5' 300 nm About 20 nm 60% About 4 nm

25X1

SECRET

OSA-4525/66 Page 3

The camera is a 9x9" format operating with a 24" focal length. The utilization of thin base film increases the longitudinal coverage some 500nm, and other coverage figures increase because of increase in operational altitude.

7. Concluding his remarks, Colonel Smith indicated that the take handling and operational control of the "H" model would be the same as the present BLUE SPRINGS. He also remarked that JRC viewed as primary mission for the "H" reconnaissance coverage of China. Displaying a graphic showing the 2400 mile range from Danang, he did not mention any planned He then stated operations that in the future | might be coming to COMOR for guidance

on desired target coverage

25X1

25X1

Chief, Intelligence Division Office of Special Activities

(22 Dec 66) INTEL DIV/O/OSA/ Distribution:

Orig - D/O/OSA 1 - DD/SA

- 1 D/SA
- 1 IDEA/O/OSA
- 1 SAS/OSA
- 1 SSD/R&D/OSA
- 1 INTEL/O/OSA
- 1 RB/OSA

SECRET